FEB 1 2 2004

Cooley Godward LLP

ATTORNEYS AT LAW

FAX

THIS FACSIMILE AND THE INFORMATION IT CONTAINS ARE INTENDED TO BE A CONFIDENTIAL COMMUNICATION ONLY TO THE PERSON OR ENTITY TO WHOM IT IS ADDRESSED. IF YOU HAVE RECEIVED THIS FACSIMILE IN ERROR, PLEASE NOTIFY US BY TELEPHONE AND RETURN THIS ORIGINAL FAX TO THIS OFFICE BY MAIL

380 Interlocken Crescent Suite 900 Broomfield, CO 80021-8023

MAIN (720) 566-4000 FAX (720) 566-4099

Offices: Broomfield, CO Palo Alto, CA Reston, VA San Diego, CA San Francisco, CA

DATE:

February 12, 2004

PLEASE DELIVER TO: PHONE NO.:	FAX No.:
Pat Resper/Technology Center 2600 – Office P/2600	703/872-9306

FROM:

Wayne O. Stacy

PHONE: (720) 566-4125

REPLY FAX: (720) 566-4099

RE:

NVID-030/00US/P000172

NUMBER OF PAGES, INCLUDING COVER PAGE: Client Number: 140060-2064

MESSAGE:

Good afternoon, Ms. Resper, following up on our conversation on Tuesday, 2/10/04, with respect to the status of this application, enclosed are copies of the following documents:

- 9/11/03 Transmittal forwarding Petitlon Requesting Withdrawal of Holding of Abandonment; 9/11/03 - Petition Requesting Withdrawal of Holding of Abandonment;
- 9/11/03 Conformed Express Mail receipt showing mailing of 9/11/03 Materials 2. 8/13/03 - Transmittal forwarding Notice of Appeal and related papers
 - 8/13/03 Petition for Extension of Time
 - 8/13/03 Notice of Appeal from the Examiner to the Board of Patent Appeals and

Interferences;

- 8/13/03 Conformed Postcard showing receipt of 8/13/03 Materials by PTO 8/13/03 - Conformed Express Mail receipt showing mailing of 8/13/03 Materials
- 5/9/03 Transmittal of Response to Office Action;
 - 5/9/03 Response to 2/13/03 Office Action;
 - 5/9/03 Conformed Postcard showing receipt of 5/9/03 Materials by PTO
- 5/9/03 Conformed Express Mail receipt showing mailing of 5/9/03 Materials (stamped erroneously by U.S. Post Office as 5/8/03, but dated 5/9/03 by U.S. Post Office Clerk.

Please contact me to discuss the current status of the case. Thank you. Wayne Stacy

211188 v1/CQ 4\$YCCII.DOC Nov. 11/19/2001

Attorney Docket No. NVID-030/00US/P000172

PATENT

Express Mail Label Number:

EL 870631093 US

Date of Deposit:

September 11, 2003

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Mail Stop Petition, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-4150.

Date: September 11, 2003

therry Duncan Sherry Duncan Bitler

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of VAN DYKE et al.

Confirmation No.: 8044

Serial No.:

09/687,036

Examiner:

Cliff N. VO

Filed:

10/12/2000

Art Unit:

2671

FOR: .

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A

COMPUTER GRAPHICS SYSTEM

Mail Stop Petition Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL

Enclosed are the following documents:

- Petition Requesting Withdrawal of Holding of Abandonment Under 37 C.F.R. [x] §1.818(a); and
- Return receipt postcard. [X]
- A check for the total fee is attached.
- Please charge \$xxx to Deposit Account No. 03-3117 for the total fee. This paper is being submitted in duplicate.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117.

Rev. 11/19/2001

Attorney Docket No. NVID-030/00US/P000172 Serial No. 09/687,036

Respectfully submitted,

COOLEY GODWARD LLP

Page 2

COOLEY GODWARD LLP ATTN: Patent Group Five Palo Alto Square 3000 El Camino Real Palo Alto, CA 94306-2155

Tel: (720) 566-4125 Fax: (720) 566-4099 Ву:

Wayne O. Stacy Reg. No. 45,125

2005

FEB 1 2 2004

Attorney Docket No: NVID-030/00US/P000172

OFFICIAL PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of VAN DYKE, et al.

Serial No.:

09/687,036

Examiner:

Cliff N. VO

Filed:

10/12/2000

Art Unit:

2671

Confirmation No.: 8044

For:

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A

COMPUTER GRAPHICS SYSTEM

Mail Stop Petition Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

PETITION REQUESTING WITHDRAWAL OF HOLDING OF ABANDONMENT UNDER 37 C.F.R §1.181(a)

Applicants received a Notice of Abandonment, dated August 27, 2003, for this application. Applicants filed timely responses and submit that the Notice of Abandonment was issued in error. In particular, Applicants filed a Notice of Appeal by Express Mail on August 13, 2003, which is within the six month statutory time limit. The Express Mail receipt shows a mailing date of August 13, 2003, and the express mail number on the Notice of Appeal matches the number on the receipt. Accordingly, Applicants submit that the Notice of Appeal was timely filed and request that the Notice of Abandonment be withdrawn.

Applicants also request that the Examiner consider the Applicants Response to Office Action that was filed on May 9, 2003 by Express Mail. This response puts the application in condition for allowance, and Applicants respectfully request that it be entered in this case.

According to PAIR, however, the PTO did not process Applicant's May 9 Response to Office Action or its August 13 Notice of Appeal. The PTO did return stamped postcards for

each of these filings. Applicants include copies of these documents and their express mail receipts with this petition. The following documents for Applicant's May 9 filing are included:

- 1. Transmittal of Response to Office Action (dated May 9);
- 2. Response to Office Action (dated May 9);
- 3. One Return Postcard (stamped May 9); and
- 4. Copy of Express Mail receipt.

The following documents for Applicant's August 13 Notice of Appeal are included:

- 1. Transmittal (dated August 13);
- Petition for Extension of Time (dated August 13);
- 3. Notice of Appeal (dated August 13);
- 4. One Return Postcard (stamped August 13); and
- 5. Copy of Express Mail receipt.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117.

COOLEY GODWARD LLP Attention: Patent Group Five Palo Alto Square 3000 El Camino Real Palo Alto, CA 94306-2155

Tel: (720) 566-4125 Fax: (720) 566-4099

203869 vI/CO 4DB101!.DQC Respectfully submitted, COOLEY GODWARD LLP

By:

Wayne O. Stacy Reg. No. 45,125



The following has been received in the U.S. Patent Office on the date stamped hereon:

[X] Transmittal;

X] Petition Requesting Withdrawal of Holding of Abandonment Under 37 C.F.R.

§1.818(a); and

[X] Postcard

Express Mail Label No. BL 870631093 US

Attorney Docket No.: NVID-030/00US/P000172

Mail Date: September 11, 2003

Attorney/Secretary: WStacy/SBitler

Rev. 11/19/2001

Attorney Docket No. NVID-030/00US/P000172

PATENT

Express Mail Label Number:

EL 870631575 US

Date of Deposit:

August 13, 2003

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as Express Mail in an envelope addressed to the Mail Stop Appeal Brief-Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on August 13, 2003.

By: Sherry Duncan Bitter

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of VAN DYKE et al.

Confirmation No.:

8044

Serial No.:

09/687,036

Group Art Unit:

2671

Filed:

10/12/2000

Examiner:

Cliff N. VO

FOR:

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A

COMPUTER GRAPHICS SYSTEM

Mail Stop Appeal Brief-Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

P



TRANSMITTAL

Enclosed are the following documents:

- [x] Petition for Extension of Time;
- [x] Notice of Appeal; and
- [x] Return receipt postcard
- A check for the total fee is attached.
- [x] Please charge \$1,250.00 to Deposit Account No. 03-3117 for the total fee. This paper is being submitted in duplicate.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03/3117.

202332 v1/CO 4C4C011.DOC Rev. 11/19/2001

>

Attorney Docket No. NVID-030/00US/P000172

Serial No.: 09/687,036

Page 2

COOLEY GODWARD LLP
ATTN: Patent Group
Five Palo Alto Square
3000 El Camino Real

Respectfully submitted,
COOLEY GODWARD LLP

Tel: (720) 566-4125 Fax: (720) 566-4099

Palo Alto, CA 94306-2155

By:

Wayne O. Stacy Reg. No. 45,125 Rev. 02/27/2003

Attorney Docket No. NVID-030/00US/P000172

PATENT

Express Mail Label Number:

EL 870631575 US

Date of Deposit: August 13, 2003

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as Express Mail in an envelope addressed to the Mail Stop Appeal Brief-Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on August 13, 2003.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of VAN DYKE et al.

Confirmation No.:

044

Serial No.:

09/687,036

Group Art Unit:

2671

Filed:

10/12/2000

Examiner:

Cliff N. VO

For:

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A COMPUTER:

GRAPFICS SYSTEM

Mail Stop Appeal Brief-Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

PETITION FOR EXTENSION OF TIME

Sir:

A three month extension of time is requested to the Office Action dated February 13, 2003, to November 13, 2003; the extension fee is:

> □ \$465.00 [x] \$930.00

П The shortened statutory period has been reset by an Advisory Action dated .

П An extension fee in the amount of \$ is enclosed.

[x] Please charge \$930.00 to Deposit Account No. 03-3117.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.P.R. §§ 1.16, 1.17 and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117. This paper is submitted in duplicate.

Rev. 02/27/2003

Attorney Docket No. NVID-030/00US/P000172

Serial No.: 09/687,036

Page 2

COOLBY GODWARD LLP ATTN: Patent Group Five Palo Alto Square 3000 El Camino Real Palo Alto, CA 94306-2155

Tel: (720) 566-4125 Fax: (720) 566-4099

202330 v1/CO 4C4@011.DOC Respectfully submitted, COOLEY GODWARD LLP

By:

Wayne O. Stacy Reg. No. 45,125

Attorney Docket No. NVID-030/00US/P000172

PATENT

Express Mail Label Number:

EL 870631575 US August 13, 2003

Date of Deposit:

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as Express Mail in an envelope addressed to the Mail Stop Appeal Brief-Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on August 13, 2003.

By: Sherry Duncan Bitler
Sherry Duncan Bitler

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of VAN DYKE et al.

Confirmation No.: 8044

Serial No.:

09/687,036

Examiner:

Cliff N. VO

Filed:

10/12/2000

Art Unit:

2671

For:

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A

COMPUTER GRAPHICS SYSTEM

Mail Stop Appeal Brief-Patents

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

NOTICE OF APPEAL FROM THE EXAMINER TO THE BOARD OF PATENT APPEALS AND INTERFERENCES UNDER 37 C.F.R. §1.191

Applicants hereby appeal to the Board of Patent Appeals and Interferences from the decision of the Examiner dated February 13, 2003.

- A check in the amount of \$___ for the Notice of Appeal and Extension of Time fee is attached.
- [x] Please charge \$1,250.00 to Deposit Account No. 03-3117 for the total fee which includes the \$320.00 fee for the Notice of Appeal and the \$930.00 fee for an Extension of Time for Three Months. This paper is being submitted in duplicate.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17 and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117. This paper is submitted in duplicate.

Rev. 06/25/2001

Attorney Docket No. SIEB018/00US Serial No. 09/261,771 Page 2

COOLEY GODWARD LLP ATTN: Patent Group Five Palo Alto Square 3000 El Camino Real Palo Alto, CA 94306-2155

Tel: (720) 566-4125 Fax: (720) 566-4099

202345 v1/CO 4C4P011.DOC Respectfully submitted, COOLEY GODWARD LLP

By:

Wayne O. Stacy Reg. No. 45,125 The following has been received in the U.S. Patent Office on the date stamped hereon:

[X] Transmittal (in duplicate) (with authorization to charge deposit account);

[X] Notice of Appeal (in duplicate);

[X] Petition for Extension of Time; and

[X] Postcard

Express Mail Label No. EL 870631575 US

Attorney Docket No.: NVID-030/00US/P000172

Mail Date: August 13, 2003

Serial No.: 09/687,036

Attorney/Secretary: WStacy/SBitler



EXPRESS POST OFFICE UNITED STATES POSTAL SERVICES TO ADDRESSEE ORICHI (POSTAL USE ONLY) PO ZE (School O'Z / Day, of Delivery Flat Raig Envelope Dato In Cold 3 to 12 Noon 3 PM S 3 6 5 We have be part 2 met bay 3 rd Day Walght 12 met bay 3 rd	SEE REVERSE SIDE FOR SERVICE GUARANTEE AND THIS ON INSURANCE COVERAGE OD	Customer Copy Label 14-F August 2000
No Delivery Acceptance Clark Indixio Total Powings & Food		
METHOD OF PAYMENT EQUAL MAI CONDUCT AND HOLE FROM: GLEAZE PRINT) PHONE 720 566 4000 FROM: GLEAZE PRINT) PHONE COOLEY GOCKARC LP 280 INTERICTKEN CRESCENT SIE 900 EROOMFIELD CO 80021-8023	TO: DEBAGE PRINTIDE PROME TO THE PROME TO TH	
149060-2064; NVID-030/00US WStacy/SBitler FOR PICKUP OR TRACKING CALL 1-800	-222-1811 www.usps.com 電影報告	15

Attorney Docket No. NVID-030/00US/P000172

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of VAN DYKE, etl.

Examiner: Cliff N. VO

Serial No.

09/687,036

Art Unit: 2671

Filed:

10/12/2000

FOR:

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A

COMPUTER GRAPHICS SYSTEM

Mail Box AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL OF RESPONSE TO OFFICE ACTION

Enclosed are the following documents in response to the Office Action mailed February 13, 2003 for the above-identified application:

[X] Response to Office Action; and

One Return Post Card.

The fee has been calculated as follows:

	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEE
Basic Application	n Fee				\$740:00
Total Claims		- 20 =		x \$18.00	\$0.00
Independent Claims		- 3 =	,	х \$84.00	\$0.00
If multiple deper	ndent claims	are presented, add	\$280.00		\$0.00
Total Applicatio	n Fee				\$0.00
If an Assertion of Total Application		t to Small Entity	Status is enclosed	, subtract 50% of	\$0.00
Other fees: (spec	cify)				\$0.00
recite all similares					

196679 v1/CO 47RB011.DOC

[] Cooley Check No. ____ in the amount of \$____ for the two month extension fee is attached.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117.

COOLEY GODWARD LLP ATTN: Patent Group Five Palo Alto Square 3000 El Camino Real Palo Alto, CA 94306-2155

Tel: (720) 566-4125 Fax: (720) 566-4099 Respectfully submitted,

COOLEY GODWARD LLP

By:

Wayne O. Stricy

Attorney Docket No. NVID-030/00US/P000172

PATENT

Express Mail Label Number:

EL 955495053 US

Date of Deposit:

May 9, 2003

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: May 9, 2003

By: Sherry Duncan Bittel

Sherry Duncan Bitler

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of VAN DYKE, et al.

Serial No.

09/687,036

Examiner:

Cliff N. Vo

Filed:

10/12/2000

Art Unit:

2671

For:

METHOD AND APPARATUS FOR MANAGING AND ACCESSING DEPTH DATA IN A

COMPUTER GRAPHICS SYSTEM

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION

Sir:

Responsive to the Official Action of February 13, 2003, Applicants respectfully request entry of the following amendments and consideration of the following remarks.

Claims 54 and 56-59 are amended, and claim 55 is cancelled.

196098 v1/CO 47B601!.DOC

IN THE CLAIMS:

Please amend claims 54 and 56-59. Please cancel claim 55 without prejudice.

- 1. (previously amended) A computer graphics system for processing image data including Z data for use in displaying three dimensional images on a display unit, comprising:
 - a depth buffer providing for temporary storage of Z data; and
- a graphics processing unit having a graphics engine for generating image data including Z data, and a memory interface unit communicatively coupled to the graphics engine and communicatively coupled to the depth buffer via a depth buffer interface, the graphics processing unit being operative to compress at least a portion of the generated Z data, to write the compressed portion of Z data to the depth buffer via the depth buffer interface in a compressed format, to read portions of compressed Z data from the depth buffer via the depth buffer interface, and to decompress the compressed Z data read from the buffer;

wherein the graphics engine comprises:

a plurality of graphics pipeline stages for generating image data including Z data; and

a Z raster operations unit communicatively coupled with the memory interface unit, the Z raster operations unit for receiving the generated Z data, and being operative to compress selected portions of the generated Z data, to receive compressed Z data from the depth buffer via the memory unit interface and the depth buffer interface, and to decompress the compressed Z data:

196098 v1/CQ 47B6011.DQC

whereby effective Z data bandwidth through the depth buffer interface is maximized in order to facilitate fast depth buffer access operations.

- 2. (original) A computer graphics system as recited in claim 1 wherein the graphics processing unit is operative to compress selected ones of a plurality of tiles of the generated Z data based on a quantitative analysis of the Z data, each of the tiles of Z data having a plurality of pixels arranged in an array, each of the pixels being disposed at an associated (X,Y) coordinate of the array, and having an associated Z value.
- 3. (original) A computer graphics system as recited in claim 2 wherein the graphics processing unit is operative to perform a process of compressing a tile of Z data, the process including a step of determining a plane based on the (X,Y) coordinates and associated Z values of selected ones of the pixels of the tile.
- 4. (original) A computer graphics system as recited in claim 2 wherein the graphics processing unit is operative to perform a process of compressing a tile of Z data, the process comprising the steps of:

reading an anchor Z value associated with a selected anchor pixel of the tile;

reading a major horizontal Z value associated with a major horizontal pixel

displaced a first predetermined number of pixels in a horizontal direction from the anchor pixel;

determining a major horizontal difference value between the anchor Z value and the major horizontal Z value;

196098 v1/CO 47B601!.DOC

determining a horizontal gradient value based on the horizontal difference value and the first predetermined number of pixels;

reading a major vertical Z value associated with a major vertical pixel displaced a second predetermined number of pixels in a vertical direction from the anchor pixel;

determining a major vertical difference value between the anchor Z value and the major vertical Z value;

determining a vertical gradient value based on the vertical difference value and the second predetermined number of pixels;

determining an ideal plane based on the anchor Z value, the horizontal gradient value, and the vertical gradient value;

for each of a plurality of remaining pixels of the tile, determining an associated ideal Z value lying in the ideal plane at the (X,Y) coordinate of the associated remaining pixel; and

for each of the remaining pixels, determining an associated minor Z difference value by determining a difference between the associated ideal Z value and the associated Z value.

5. (original) A computer graphics system as recited in claim 4 wherein the process further comprises the steps of:

using the major horizontal difference value as a first major difference value in the compressed format;

using the major vertical difference value as a second major difference value in the compressed format; and

196098 v1/CO 47B6011.DOC

using the minor Z difference values as minor difference values in the compressed format.

6. (original) A computer graphics system as recited in claim 4 wherein a compressed tile of Z data comprises:

a first portion of compressed Z data including the anchor Z value, the major vertical difference value, and the major horizontal difference value; and

a second portion of compressed Z data including at least one of the minor difference values.

7. (original) A computer graphics system as recited in claim 4 wherein the graphics processing unit is further operative to perform the steps of:

determining if the horizontal difference value is greater than a predetermined maximum value; and

if the horizontal difference value is greater than the predetermined maximum value, writing the tile of Z data to the depth buffer via the depth buffer interface in an uncompressed format.

8. (original) A computer graphics system as recited in claim 4 wherein the graphics processing unit is further operative to perform the steps of:

determining if the vertical difference value is greater than a predetermined maximum value; and

if the vertical difference value is greater than the predetermined maximum value, writing the tile of Z data to the depth buffer via the depth buffer interface in an uncompressed format.

9. (original) A computer graphics system as recited in claim 4 wherein the graphics processing unit is further operative to perform the steps of:

determining if any of the associated minor Z difference values is greater than a predetermined maximum value; and

if any of the minor Z difference values is greater than a predetermined maximum value, writing the tile of Z data to the depth buffer via the depth buffer interface in an uncompressed format.

10. (previously cancelled)

11. (previously amended) A computer graphics system as recited in claim 1 wherein the Z raster operations unit is operative to perform read modify write operations including the steps of:

reading previous Z data from the depth buffer via the memory unit interface and the depth buffer interface;

merging the previous read Z data with associated portions of the generated Z data to provide merged Z data; and

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface.

196098 v1/CO 47B6011.DOC

12. (previously amended) A computer graphics system as recited in claim 1 wherein the Z raster operations unit is operative to perform read modify write operations including the steps of:

reading previous compressed Z data from the depth buffer via the memory unit interface and the depth buffer interface;

decompressing the read Z data;

merging the decompressed Z data with associated portions of the generated Z data to provide merged Z data; and

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface.

13. (original) A computer graphics system as recited in claim 11 wherein the read modify write operations further include the steps of:

compressing the merged Z data; and

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface in a compressed format.

14. (original) A computer graphics system as recited in claim 2 wherein the Z raster operations unit is operative to perform read modify write operations including the steps of:

reading a tile of previous Z data from the depth buffer via the memory unit interface and the depth buffer interface;

196098 v1/CQ 47B6011.DOC

merging the previous read Z data with associated portions of the generated Z data to provide a tile of merged Z data;

determining if the tile of merged Z data may be compressed; and
if the merged Z data may be compressed, writing the tile of merged Z data to the
depth buffer via the memory unit interface and the depth buffer interface in a compressed
format.

15. (original) A computer graphics system as recited in claim 2 wherein the Z raster operations unit comprises:

a read operation data accumulation unit for receiving the generated Z data, and being operative to accumulate portions of generated Z data associated with a current tile region, and to provide the accumulated Z data;

a decompression engine for receiving a previously written compressed tile of read Z data that is read from the Z buffer via the memory interface unit in a compressed format, the decompression engine being operative to decompress the previously written compressed tile to provide decompressed read Z data; and

a test unit for receiving the accumulated Z data and the decompressed read Z data, and being operative to compare portions of the accumulated Z data with portions of the decompressed read data, and being operative to provide selected Z data.

16. (original) A computer graphics system as recited in claim 9 wherein the Z raster operations unit further comprises:

a write operation accumulation unit for receiving the merged Z data, and being operative to accumulate portions of merged Z data that are associated with a current tile of merged Z data; and

a compression engine for receiving the accumulated merged Z data, and being operative to compress the accumulated merged Z data to provide compressed Z write data to the memory interface unit to be written to the Z buffer in a compressed format.

17. (original) A computer graphics system as recited in claim 1 further comprising a depth buffer client communicatively coupled with the memory interface unit of the graphics processing unit, the client being operative to generate write requests, write address information, and write Z data to be written to the depth buffer, the memory interface being responsive to the write requests and operative to perform read modify write operations for writing the write Z data to the depth buffer for the client.

18. (original) A computer graphics system as recited in claim 17 wherein the read modify write operations performed by the memory interface unit comprise the steps of:

determining whether a memory location of the depth buffer indicated by the write address information includes a portion of compressed Z data stored therein in a compressed format; and

if the tile region has a compressed portion of Z data stored therein,
reading the compressed portion of Z data from the depth buffer, and
decompressing the compressed portion of Z data.

196098 v1/CO 47B6011.DOC

19. (original) A computer graphics system as recited in claim 17 wherein the depth buffer client is a central processing unit executing a graphics application.

20. (original) A computer graphics system as recited in claim 17 wherein the depth buffer client is a 2D graphics engine.

21. (original) A computer graphics system as recited in claim 1 wherein:

the graphics engine is operative to generate memory address values each being indicative of an associated memory address location of the depth buffer; and

the memory interface unit is responsive to the memory address values, and is operative to determine compression status information associated with at least a portion of the memory address values, the compression status information indicating whether an associated portion of Z data stored in the associated memory address location of the depth buffer is stored in a compressed format, or an uncompressed format, the memory interface unit being operative to perform the steps of,

if the compression status information indicates that the associated portion of data is stored in the depth buffer in an uncompressed format, accessing the associated portion of Z data from the depth buffer during a first number of clock cycles, and

if the compression status information indicates that the associated portion of data is stored in the depth buffer in a compressed format, accessing the compressed portion of Z data from the depth buffer during a second number of

196098 v1/CO 47B6011.DOC

clock cycles wherein the second number of clock cycles is less than the first number of clock cycles.

22. (original) A computer graphics system as recited in claim 21 wherein the memory interface unit further comprises a tag memory storage unit for storing the compression status information, the tag memory storage unit being responsive to a particular one of the memory address values, and operative to provide the compression status information associated with the particular memory address value.

23. (original) A computer graphics system as recited in claim 2 wherein:

the graphics engine is operative to generate tile memory address values indicative of associated tile regions of the depth buffer, each tile region providing for storage of an associated tile of Z data, each of the tiles of Z data including a plurality of tile portions of Z data, the graphics engine also being operative to generate fetch mask information associated with each of the tile memory address values, the fetch mask information indicating specified ones of the tile portions of the associated tile of Z data, the specified tile portions to be read from the depth buffer; and

the memory interface unit is responsive to the tile memory address values, and the associated fetch mask information, and operative to determine compression status information associated with at least a portion of the memory address values, the compression status information indicating whether the associated tile of Z data is stored at the associated tile region in a compressed format, or in an uncompressed format, the memory interface unit being operative to perform the steps of,

196098 v1/CO 47B6011.DOC

Attorney Docket No. NVID-030/00US/P000172 Serial No. 09/687,036 Page 12

if the compression status information indicates that the associated tile is a compressed tile that is stored in the depth buffer in a compressed format, accessing the compressed format tile using the associated tile memory address value, and

if the compression status information indicates that the associated tile of data is stored in the depth buffer in an uncompressed format, accessing only the specified tile portions of the associated tile of Z data that are specified by the associated fetch mask information.

24. (original) A computer graphics system as recited in claim 4 wherein:

the graphics engine is operative to compress a tile of Z data to generate a compressed tile of Z data including,

a first compressed data portion including a portion of the compressed data, and fast clear information indicative of whether the compressed tile of Z data represents background initialization Z data for clearing the depth buffer, and if not fast clear compressed, a second compressed data portion; and

the memory interface unit is responsive to the compressed tile of Z data, and operative to read the fast clear information, and further operative to perform the steps of,

if the fast clear information indicates that the compressed tile represents initialization Z data, writing only the first compressed data portion to the depth buffer, and

196098 v1/CO 47B601!.DOC

if the fast clear information does not indicate that the compressed tile represents initialization Z data, writing the first and second compressed data portions to the depth buffer.

25. (previously amended) A graphics processing unit for processing image data including Z data for use in displaying three dimensional images, the graphics processing unit being adapted for coupling with a depth buffer via a depth buffer interface, the depth buffer providing for temporary storage of Z data, the graphics processing unit being operative to compress at least a portion of the Z data, to write the compressed portion of Z data to the depth buffer via the depth buffer interface in a compressed format, to read portions of compressed Z data from the depth buffer via the depth buffer interface, and to decompress the compressed Z data read from the depth buffer, the graphics processing unit comprising:

a graphics engine for generating image data including Z data; and
a memory interface unit communicatively coupled to the graphics engine and
being adapted for communicative coupling with a depth buffer via a depth buffer
interface;

wherein the graphics processing unit is operative to perform read modify write operations including the steps of:

reading previous Z data from the depth buffer via the memory unit interface and the depth buffer interface;

merging the previous read Z data with associated portions of the generated Z data to provide merged Z data; and

196098 v1/CQ 47B6011.DQC

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface.

26. (previously cancelled)

27. (previously amended) A graphics processing unit as recited in claim 25 being further operative to compress selected ones of a plurality of tiles of the generated Z data based on a quantitative analysis of the Z data, each of the tiles of Z data having a plurality of pixels arranged in an array, each of the pixels being disposed at an associated (X,Y) coordinate of the array, and having an associated Z value.

28. (original) A graphics processing unit as recited in claim 27 being further operative to perform a process of compressing a tile of Z data, the process including a step of determining a plane based on the (X,Y) coordinates and associated Z values of selected ones of the pixels of the tile.

29. (original) A graphics processing unit as recited in claim 27 being further operative to perform a process of compressing a tile of Z data, the process comprising the steps of:

reading an anchor Z value associated with a selected anchor pixel of the tile;

reading a major horizontal Z value associated with a major horizontal pixel

displaced a first predetermined number of pixels in a horizontal direction from the anchor pixel;

196098 v1/CO 47B601!.DOC

determining a major horizontal difference value between the anchor Z value and the major horizontal Z value;

determining a horizontal gradient value based on the horizontal difference value and the first predetermined number of pixels;

reading a major vertical Z value associated with a major vertical pixel displaced a second predetermined number of pixels in a vertical direction from the anchor pixel;

determining a major vertical difference value between the anchor Z value and the major vertical Z value;

determining a vertical gradient value based on the vertical difference value and the second predetermined number of pixels;

determining an ideal plane based on the anchor Z value, the horizontal gradient value, and the vertical gradient value;

for each of a plurality of remaining pixels of the tile, determining an associated ideal Z value lying in the ideal plane at the (X,Y) coordinate of the associated remaining pixel; and

for each of the remaining pixels, determining an associated minor Z difference value by determining a difference between the associated ideal Z value and the associated Z value.

30. (previously amended) A graphics processing unit as recited in claim 25 wherein the graphics engine comprises:

a plurality of graphics pipeline stages for generating image data including Z data; and

196098 v1/CO 47B601!.DOC

a Z raster operations unit communicatively coupled with the memory interface unit, the Z raster operations unit for receiving the generated Z data, and being operative to compress selected portions of the generated Z data, to receive compressed Z data from the depth buffer via the memory unit interface and the depth buffer interface, and to decompress the compressed Z data.

31. (previously cancelled)

32. (previously amended) A graphics processing unit as recited in claim 25 wherein the graphics processing unit is operative to perform read modify write operations including the steps of:

reading previous compressed Z data from the depth buffer via the memory unit interface and the depth buffer interface;

decompressing the read Z data;

merging the decompressed read Z data with associated portions of the generated Z data to provide merged Z data; and

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface.

33. (previously amended) A graphics processing unit as recited in claim 25 wherein the read modify write operations further include the steps of:

compressing the merged Z data; and

196098 v1/CO 47B6011.DOC

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface in a compressed format.

34. (original) A graphics processing unit as recited in claim 32 wherein the read modify write operations further include the steps of:

compressing the merged Z data; and

writing the merged Z data to the depth buffer via the memory unit interface and the depth buffer interface in a compressed format.

35. (original) A graphics processing unit as recited in claim 27 wherein the Z raster operations unit is operative to perform read modify write operations including the steps of:

reading a tile of previous Z data from the depth buffer via the memory unit interface and the depth buffer interface;

merging the previous read Z data with associated portions of the generated Z data to provide a tile of merged Z data;

determining if the tile of merged Z data may be compressed; and

if the merged Z data may be compressed, writing the tile of merged Z data to the depth buffer via the memory unit interface and the depth buffer interface in a compressed format.

36. (original) A graphics processing unit as recited in claim 27 wherein the Z raster operations unit comprises:

196098 v1/CO 47B601!.DOC

a read operation data accumulation unit for receiving the generated Z data, and being operative to accumulate portions of generated Z data associated with a current tile region, and to provide the accumulated Z data;

a decompression engine for receiving a previously written compressed tile of read Z data that is read from the Z buffer via the memory interface unit in a compressed format, the decompression engine being operative to decompress the previously written compressed tile to provide decompressed read Z data; and

a test unit for receiving the accumulated Z data and the decompressed read Z data, and being operative to compare portions of the accumulated Z data with portions of the decompressed read data, and being operative to provide selected Z data.

37. (previously amended) A graphics processing unit as recited in claim 25 wherein the graphics processing unit further comprises:

a write operation accumulation unit for receiving the merged Z data, and being operative to accumulate portions of merged Z data that are associated with a current tile of merged Z data; and

a compression engine for receiving the accumulated merged Z data, and being operative to compress the accumulated merged Z data to provide compressed Z write data to the memory interface unit to be written to the Z buffer in a compressed format.

38. (original) A graphics processing unit as recited in claim 26 wherein:

the graphics engine is operative to generate memory address values each being indicative of an associated memory address location of the depth buffer; and

the memory interface unit is responsive to the memory address values, and is operative to determine compression status information associated with at least a portion of the memory address values, the compression status information indicating whether an associated portion of Z data stored in the associated memory address location of the depth buffer is stored in a compressed format, or an uncompressed format, the memory interface unit being operative to perform the steps of

if the compression status information indicates that the associated portion of data is stored in the depth buffer in an uncompressed format, accessing the associated portion of Z data from the depth buffer during a first number of clock cycles, and

if the compression status information indicates that the associated portion of data is stored in the depth buffer in a compressed format, accessing the compressed portion of Z data from the depth buffer during a second number of clock cycles wherein the second number of clock cycles is less than the first number of clock cycles.

39. (previously amended) A graphics processing unit as recited in claim 25 wherein the memory interface unit further comprises a tag memory storage unit for storing the compression status information, the tag memory storage unit being responsive to a particular one of the memory address values, and operative to provide the compression status information associated with the particular memory address value.

40. (original) A graphics processing unit as recited in claim 27 wherein:

the graphics engine is operative to generate tile memory address values indicative of associated tile regions of the depth buffer, each tile region providing for storage of an 19

196098 v1/CO 47B601J.DOC

associated tile of Z data, each of the tiles of Z data including a plurality of tile portions of Z data, the graphics engine also being operative to generate fetch mask information associated with each of the tile memory address values, the fetch mask information indicating specified ones of the tile portions of the associated tile of Z data, the specified tile portions to be read from the depth buffer; and

the memory interface unit is responsive to the tile memory address values, and the associated fetch mask information, and operative to determine compression status information associated with at least a portion of the memory address values, the compression status information indicating whether the associated tile of Z data is stored at the associated tile region in a compressed format, or in an uncompressed format, the memory interface unit being operative to perform the steps of:

if the compression status information indicates that the associated tile is a compressed tile that is stored in the depth buffer in a compressed format, accessing the compressed format tile using the associated tile memory address value, and

if the compression status information indicates that the associated tile of data is stored in the depth buffer in an uncompressed format, accessing only the specified tile portions of the associated tile of Z data that are specified by the associated fetch mask information.

41. (original) A graphics processing unit as recited in claim 27 wherein:

the graphics engine is operative to compress a tile of Z data to generate a compressed tile of Z data including.

196098 v1/C()
 47B601!.DOC

a first compressed data portion including a portion of the compressed data, and fast clear information indicative of whether the compressed tile of Z data represents background initialization Z data for clearing the depth buffer, and if not fast clear compressed, a second compressed data portion; and

the memory interface unit is responsive to the compressed tile of Z data, and operative to read the fast clear information, and further operative to perform the steps of,

if the fast clear information indicates that the compressed tile represents initialization Z data, writing only the first compressed data portion to the depth buffer, and

if the fast clear information does not indicate that the compressed tile represents initialization Z data, writing the first and second compressed data portions to the depth buffer.

- 42. (previously cancelled)
- 43. (previously cancelled)
- 44. (previously cancelled)
- 45. (previously cancelled)
- 46. (previously cancelled)

196098 v1/CO 47B6011 DOC

- 47. (previously cancelled) 48. (previously cancelled) 49. (previously cancelled) 50. (previously cancelled) 51. (previously cancelled) 52. (previously cancelled) 53. (previously cancelled)
- 54. (amended) A method for storing depth data, the method comprising:

identifying a plurality of pixels, each of the plurality of pixels associated with a corresponding depth value;

determining whether the depth values associated with the plurality of pixels are compressible;

responsive to the depth values associated with the plurality of pixels being compressible, compressing the depth values and storing at least an indication of the compressed depth values in a compressed format; and

responsive to the depth values associated with the plurality of pixels being noncompressible, storing at least an indication of the depth values in a non-compressed form; 22 196098 v1/CO

wherein determining whether the depth values are compressible comprises:

COOLEY GODWARD LLP

determining a gradient corresponding to a depth value associated with a first pixel and a depth value associated with a second pixel;

wherein the first pixel and the second pixel are included in the identified plurality of pixels.

55. (canceled)

56. (amended) The method of <u>claim 54</u> elaim 55, wherein determining whether the depth values are compressible further comprises:

determining whether the gradient is greater than a threshold value;

whereby the depth values associated with the plurality of pixels are determined to be non-compressible when the gradient is greater than the threshold value.

57. (amended) The method of claim 54 elaim 55, wherein determining a gradient comprises:

determining a difference between the depth value for the first pixel and the depth value for the second pixel.

58. (previously added) The method of claim 57, wherein determining a difference comprises:

determining a horizontal difference.

23

196098 v1/CO 47B601!.DOC

59. (previously added) The method of claim 57, wherein determining a difference comprises:

determining a vertical difference.

.

60. (previously added) The method of claim 54, wherein determining whether the depth values associated with the plurality of pixels are compressible comprises:

determining a difference between the depth value for the first pixel and the depth value for the second pixel.

REMARKS

Applicants respectfully request reconsideration of the present application in which claims 54 and 56-59 are amended, and claim 55 is canceled. The subject matter of claim 55, which stands as only objected to, has been incorporated into claim 54. Consequently, applicants submit that claim 54 and all claims dependent there from are in condition for allowance. All other pending claims have been indicated as allowable.

Applicants respectfully submit that no further impediments exist to the allowance of this application and, therefore, solicit an indication of allowability.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§1.16, 1.17, and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 03-3117.

COOLEY GODWARD LLP

ATTN: Patent Group Five Palo Alto Square 3000 El Camino Real

Palo Alto, CA 94306-2155

Tel: (720) 566-4125 Fax: (720) 566-4099 Respectfully submitted,

COOLEY GODWARD LLP

By: Wayne O. Stacy

Reg. No. 45,125

The following has been received in the U.S. Patent Office on the date stamped hereon:

[X] Transmittal (in duplicate) (with authorization to charge deposit account);

X] Response to Office Action mailed February 13, 2003; and

[X] Postcard

Express Mail Label No. BL 955495053 US

Attorney Docket No : NVID-030/00US

Mail Date: May 9, 2003

Attorney/Secretary: WStacy/SBitter



EXPRESS POST OFFICE MAIL UNITED STATES POSTAL SERVICE® TO ADDRESSEE	CO 800 955495059 US
ORIGIN (POSTAL USE ONLY) PO ZIP Tode Deport Politics Beyond Postage Serve C 3	SEE REVERSE SIDE FOR SEEVICE GUARANTEE AND LIMITS ON INSURANCE COVERAGE
FROM: PRESSURE PRODUCTION OF THE PROPERTY OF T	PRINT ACCOUNTS OF THE PRINT PHONE